



# L-ACOUSTICS PRICE LIST - EUR/IN

Date : 1-Feb-19

Unit prices, EX-VAT, in euros

For terms and conditions please consult the L-Acoustics General Conditions of Sale

## NEW PRODUCTS 2018

		€
P1 CE	Digital audio processor and measurement platform: 20 x 18 mic/line AES/EBU and AVB. CE version.	5 950
P1 CN	Digital audio processor and measurement platform: 20 x 18 mic/line AES/EBU and AVB. CN version.	5 950
P1 JP	Digital audio processor and measurement platform: 20 x 18 mic/line AES/EBU and AVB. JP version.	5 950
KARADOWNK2	Flying bumper for rigging KARA under K2	1 070

## AMPLIFIED CONTROLLERS

		€
LA4X CE	Amplified controller with PFC 4 x 1000 W /8 Ohms. Ethernet network. AES/EBU. CE version	5 165
LA4X CN	Amplified controller with PFC 4 x 1000 W /8 Ohms. Ethernet network. AES/EBU. CN version	5 165
LA4X INT	Amplified controller with PFC 4 x 1000 W /8 Ohms. Ethernet network. AES/EBU. INT version	5 165
LA4X US	Amplified controller with PFC 4 x 1000 W /8 Ohms. Ethernet network. AES/EBU. US version	5 165
LA8	Amplified controller 4 x 1800 W/4 Ohms. Ethernet network. AES/EBU	7 750
LA8 CN	Amplified controller 4 x 1800 W/4 Ohms. Ethernet network. AES/EBU. CN version	7 750
LA8 JP	Amplified controller 4 x 1800 W/4 Ohms. Ethernet network. AES/EBU. JP version	7 750
LA8 US	Amplified controller 4 x 1800 W/4 Ohms. Ethernet network. AES/EBU. US version	7 750
LA12X CE	Amplified controller 4 x 2600W/4 ohms CE mains connector	9 725
LA12X CN	Amplified controller 4 x 2600W/4 ohms CN mains connector	9 725
LA12X INT	Amplified controller 4 x 2600W/4 ohms bare lead	9 725
LA12X US	Amplified controller 4 x 2600W/4 ohms US mains connector	9 725
LA-RAK II	Touring Rack (complete with 3 x LA12X amplified controllers)	34 750
POW2	32A Power Link 2m	200
LA-RAK	Touring rack (RK9U/3 LA8/LA-POWER/ LA-PANEL II/2U panels)	28 500
LA-RAK 120V	Touring rack (RK9U/3 LA8 US/LA-POWER US/LA-PANEL II/2U panels)	28 500
LA-RAK JP	Touring rack (RK9U/3 LA8 JP/ 1 LA-PANEL II/2U panels) JP version	27 625
LA-RAK BUMP	Structure for flying 4 LA-RAK	710
L-CASE	2U Electronics transport and protection case	385

## X SERIES

		€
5XT	2-way passive coaxial enclosure: 5" LF + 1" HF diaphragm	645
5XTW	2-way passive coaxial enclosure: 5" LF + 1" HF diaphragm (white)	645
5XTRAL	2-way passive coaxial enclosure: 5" LF + 1" HF diaphragm (RAL)	700
X8	2-way passive coaxial enclosure: 8" LF + 1.5" HF diaphragm	1 530
X8W	2-way passive coaxial enclosure: 8" LF + 1.5" HF diaphragm (white)	1 530
X8RAL	2-way passive coaxial enclosure: 8" LF + 1.5" HF diaphragm (RAL)	1 650
X12	2-way passive coaxial enclosure: 12" LF + 3" HF diaphragm	2 400
X12W	2-way passive coaxial enclosure: 12" LF + 3" HF diaphragm (white)	2 400
X12RAL	2-way passive coaxial enclosure: 12" LF + 3" HF diaphragm (RAL)	2 595
X15 HiQ	2-way active coaxial enclosure: 15" LF + 3" HF diaphragm	3 165
X15 HiQRAL	2-way active coaxial enclosure: 15" LF + 3" HF diaphragm (RAL)	3 420
ETR5	Adjustable U-bracket: 5XT	35
ETR5W	Adjustable U-bracket: 5XT (white)	35
ETR5RAL	Adjustable U-bracket: 5XT (RAL)	85
X-UL8	Long U-bracket for X8	200
X-UL8W	Long U-bracket for X8	200
X-UL8RAL	Long U-bracket for X8 (RAL)	250
X-US8	Short U-bracket for X8	200
X-US8W	Short U-bracket for X8 (white)	200
X-US8RAL	Short U-bracket for X8 (RAL)	250
X-UL12	Long U-bracket for X12	230
X-UL12W	Long U-bracket for X12 (white)	230
X-UL12RAL	Long U-bracket for X12 (RAL)	280
X-US1215	Short U-bracket for X12 and X15 HiQ	230
X-US1215W	Short U-bracket for X12 and X15 HiQ (white)	230
X-US1215RAL	Short U-bracket for X12 and X15 HiQ (RAL)	280
X-UL15	Long U-bracket for X15 HiQ	230
X-UL15RAL	Long U-bracket for X15 HiQ (RAL)	280
X-BAR	Rigging bar for X series	85
X-BARW	Rigging bar for X series (white)	85
X-BARRAL	Rigging bar for X series (RAL)	135



# L-ACOUSTICS PRICE LIST - EUR/IN

X-UTILT	U-bracket wallmount for X series with tilt adjustment	70
EMBi	Pole mount socket: 8XTi/12XTi and X series	145
EMBiW	Pole mount socket: 8XTi/12XTi and X series (white)	145
EMBiRAL	Pole mount socket: 8XTi/12XTi and X series (RAL)	195

## ▄ P SERIES

		€
108P 115V	Self-powered coaxial loudspeaker: 8" LF + 1.5" HF diaphragm	2 885
108PW 115V	Self-powered coaxial loudspeaker: 8" LF + 1.5" HF diaphragm (white)	2 885
108P 230V	Self-powered coaxial loudspeaker: 8" LF + 1.5" HF diaphragm	2 885
108PW 230V	Self-powered coaxial loudspeaker: 8" LF + 1.5" HF diaphragm (white)	2 885
112P 115V	Self-powered coaxial loudspeaker: 12" LF + 3" HF diaphragm	3 690
112PW 115V	Self-powered coaxial loudspeaker: 12" LF + 3" HF diaphragm (white)	3 690
112P 230V	Self-powered coaxial loudspeaker: 12" LF + 3" HF diaphragm	3 690
112PW 230V	Self-powered coaxial loudspeaker: 12" LF + 3" HF diaphragm (white)	3 690
SB15P 115V	Self-powered subwoofer: LF 15"	2 885
SB15PW 115V	Self-powered subwoofer: LF 15" (white)	2 885
SB15P 230V	Self-powered subwoofer: LF 15"	2 885
SB15PW 230V	Self-powered subwoofer: LF 15" (white)	2 885
ETR8-2	Adjustable U bracket: 8XT-108P-MTD108a	195
ETR8-2W	Adjustable U bracket: 8XT-108P-MTD108a (white)	195
ETR12-2	Adjustable U bracket: 12XT-112P-112XT	370
ETR12-2W	Adjustable U bracket: 12XT-112P-112XT (white)	370

## ▄ SYVA

		€
SYVA	2-way-passive enclosure 6 x 5" LF + 3 x 1.75" HF diaphragm	5 915
SYVAW	2-way-passive enclosure 6 x 5" LF + 3 x 1.75" HF diaphragm (white)	5 915
SYVARAL	2-way-passive enclosure 6 x 5" LF + 3 x 1.75" HF diaphragm (RAL)	6 390
SYVA LOW	High power low frequency subwoofer: 2 x 12" LF	2 650
SYVA LOWW	High power low frequency subwoofer: 2 x 12" LF (white)	2 650
SYVA LOWRAL	High power low frequency subwoofer: 2 x 12" LF (RAL)	2 865
SYVA SUB	Infra low frequency subwoofer: 1 x 12" LF	1 940
SYVA SUBW	Infra low frequency subwoofer: 1 x 12" (white)	1 940
SYVA SUBRAL	Infra low frequency subwoofer: 1 x 12" (RAL)	2 090
SYVA WALL	Wall-mount for Syva	250
SYVA WALLW	Wall-mount for Syva (white)	250
SYVA WALLRAL	Wall-mount for Syva (RAL)	300
SYVA BASE	Baseplate for Syva system	275
SYVA BASEW	Baseplate for Syva system (white)	275
SYVA BASERAL	Baseplate for Syva system (RAL)	325
SYVA POLE	Pole-mount adapter for Syva	190
SYVA POLEW	Pole-mount adapter for Syva (white)	190
SYVA POLERAL	Pole-mount adapter for Syva (RAL)	240
SYVA BAR	Rigging bar for Syva	305
SYVA BARW	Rigging bar for Syva (white)	305
SYVA BARRAL	Rigging bar for Syva (RAL)	355
SYVA COV	Protective cover for Syva enclosure	450
SYVALF COV	Protective cover for Syva Low or Syva Sub enclosure	435



# L-ACOUSTICS PRICE LIST - EUR/IN

		€
<b>ARCS WIFO</b>		
ARCS WIDE	2-way passive constant curvature WST® enclosure 30° x 90°	2 820
ARCS WIDEW	2-way passive constant curvature WST® enclosure 30° x 90° (white)	2 820
ARCS WIDERAL	2-way passive constant curvature WST® enclosure 30° x 90° (RAL)	3 040
ARCS FOCUS	2-way Constant curvature WST® enclosure 15° x 90°	2 820
ARCS FOCUSW	2-way Constant curvature WST® enclosure 15° x 90° (white)	2 820
ARCS FOCUSRAL	2-way Constant curvature WST® enclosure 15° x 90° (RAL)	3 040
WIFOBUMP	Rigging element for vertically arraying ARCS® WIFO	560
WIFOBUMPW	Rigging element for vertically arraying ARCS® WIFO (white)	560
WIFOBUMPRAL	Rigging element for vertically arraying ARCS® WIFO (RAL)	610
WIFOLIFT	Rigging element for horizontally arraying ARCS® WIFO	230
WIFOLIFTW	Rigging element for horizontally arraying ARCS® WIFO (white)	230
WIFOLIFTRAL	Rigging element for horizontally arraying ARCS® WIFO (RAL)	280
WIFOLIFTBAR	WIFO extension bar for ARCS® WIFO in odd numbered arrays 3 or 5 enclosures	305
WIFOTILT	Rigging accessory for stacking/tilting up to 4 ARCS WIFO onto SB18m	385
WIFOSOCK	Pole mount socket for ARCS® WIFO	175
<b>ARCS II</b>		
ARCS II	2-way active Constant Curvature WST® enclosure (with 2 coupling bars)	5 190
ARCS IICOV	Protective cover for ARCS®/ARCS® II	340
ARCBUMP	Rigging element to rig ARCS®/ARCS® II vertically	895
ARCPLA	Removable front dolly on wheels for ARCS®/ARCS® II	185
LIFTBAR	Rigging bar for 2 x BUMP3 provided with 3 shackles	335
BUMP3	Rigging element to rig ARCS/ARCS II horizontally	230
<b>KIVA II</b>		
KIVA II	2-way passive WST® enclosure: 2 x 6.5" LF + 1.75 HF diaphragm	3 415
KIVA IIW	2-way passive WST® enclosure: 2 x 6.5" LF + 1.75 HF diaphragm (white)	3 415
KIVA IIRAL	2-way passive WST® enclosure: 2 x 6.5" LF + 1.75 HF diaphragm (RAL)	3 690
KIET II	Rigging plate for ceiling or pole-mount of 3 KIVA II/KIVA maximum	440
KIET IIW	Rigging plate for ceiling or pole-mount of 3 KIVA II/KIVA maximum (white)	440
KIET IIRAL	Rigging plate for ceiling or pole-mount of 3 KIVA II/KIVA maximum (RAL)	490
KIBU II	Rigging frame for flying KIVA II/KIVA	710
KIBU IIW	Rigging frame for flying KIVA II/KIVA (white)	710
KIBU IIRAL	Rigging frame for flying KIVA II/KIVA (RAL)	760
KIVA-PULLBACK	Pullback accessory for KIVA II/KIVA	210
KIBU-SB	Rigging frame for flying or stacking KIVA II/KIVA and SB15m	840
KIBU-SBW	Rigging frame for flying or stacking KIVA II/KIVA and SB15m (white)	840
KIBU-SBRAL	Rigging frame for flying or stacking KIVA II/KIVA and SB15m (RAL)	890
<b>KARA</b>		
KARA	2-way active WST® enclosure: 2 x 8" LF + 3" HF diaphragm	4 875
KARA-ANGARMEX	2 angle bar extension for KARA bumper	145
KARA-MINIBU	Mini bumper for flying 6 KARA	920
KARA-MINIBUEX	Extension bars for flying/stacking SB18/KARA	510
KARA-PULLBACK	Pullback plate for KARA	260
M-BUMP	Bumper for flying or stacking KARA/SB18	1 945
M-BAR	Extension bar for M-BUMP	510
M-JACK	4 tilt adjustment screw jacks with 2 angle bar extensions for stacked M-BUMP	545
<b>KARAI</b>		
KARAI	2-way active WST® enclosure: 2 x 8" LF + 3" HF diaphragm (installation version)	4 045
KARAIW	2-way active WST® enclosure: 2 x 8" LF + 3" HF diaphragm (installation version white)	4 045
KARAIRAL	2-way active WST® enclosure: 2 x 8" LF + 3" HF diaphragm (RAL installation version)	4 370
KARAI SB18LINK	Rear rigging plates for flying KARAI under SB18i	70
KARAI SB18LINKW	Rear rigging plates for flying KARAI under SB18i (white)	70
KARAI SB18LINKRAL	Rear rigging plates for flying KARAI under SB18i (RAL)	120
M-BUMPI	Bumper for flying or stacking KARAI/SB18i	1 090
M-BUMPIW	Bumper for flying or stacking KARAI/SB18i (white)	1 090
M-BUMPIRAL	Bumper for flying or stacking KARAI/SB18i (RAL)	1 140



# L-ACOUSTICS PRICE LIST - EUR/IN

K2		€
K2	3-way full-range active WST® enclosure	10 920
K2-BAR	Extension bar for K2-BUMP	1 000
K2-BUMP	Structure for flying K2 arrays (incl. 1 extension sling + 1 laser adapter)	2 620
K-BUMPFLIGHT	Modular flight case for 2 K1-BUMP or 2 K2-BUMP	4 150
K2-CHARIOT	Chariot for 4 K2	1 700
K2-CHARIOTCOV	Protective cover for 4 K2 on CHARIOT	1 240
K2-JACK	4 tilt adjustment screw jacks + bar for K2-CHARIOT	920
K2-LASERMOUNT	K2 Lasermount (compatible TEQSAS / SSE Prosight / Align Array / KSG)	160
K2-LINK	Rigging accessory for rear attachment of K2 below K1	240
K2-RAKMOUNT	4 mounting cradle for LA-RAK (incl. rack stabilizer)	780
K2-RIGBAR	K2 rigging bar and pullback (Inc. LA-SLING2T)	845
K1-SB		€
K1-SB	K1 System subwoofer 2 x 15"	5 190
K1-SBCOV	Protective cover for K1-SB enclosure	705
K1-PLA	Removable front dolly for K1 or K1-SB enclosure	320
K1-BUMP	Structure for flying & stacking K1 and K1-SB arrays	4 815
K-BUMPFLIGHT	Modular flight case for 2 K1-BUMP or 2 K2-BUMP	4 150
K1-CHARIOT2	Chariot for 4 K1 or 4 K1-SB	1 865
K1-CHARIOTCOV	Protective cover for 4 K1/K1-SB on CHARIOT	1 270
K1-DELTA	Rigging accessory for rear attachment of 2 motors to K1-BUMP	510
SUBWOOFERS		€
SB15m	High power compact subwoofer: 1 x 15"	2 045
SB15mW	High power compact subwoofer: 1 x 15" (white)	2 045
SB15mRAL	High power compact subwoofer: 1 x 15" (RAL)	2 210
SB18	High power compact subwoofer: 1 x 18"	2 950
SB18m	High power compact subwoofer: 1 x 18"	2 590
SB18mW	High power compact subwoofer: 1 x 18" (white)	2 590
SB18mRAL	High power compact subwoofer: 1 x 18" (RAL)	2 805
SB18-COV	Protective cover for SB18(m) enclosure	500
SB18PLA	Removable front dolly on wheels for SB18/SB18m enclosure	240
SB18i	High power compact subwoofer: 1 x 18" installation version	2 265
SB18iW	High power compact subwoofer: 1 x 18" installation version (white)	2 265
SB18iRAL	High power compact subwoofer: 1 x 18" installation version (RAL)	2 445
SB28	High power subwoofer: 2 x 18"	5 190
SB28-PLA	Removable front dolly for SB28 enclosure	330
SB28-COV	Protective cover for SB28 enclosure	545
SB28-CHAIN	Pair of lifting chains for 4 SB28	990
BUMPSUB-2	Lifting beam for flying up to 16 SB28	770
KS28	Flyable subwoofer 2 x 18"	6 345
KS28-BUMP	Lifting beam for flying up to 16 x KS28	1 140
KS28-CHARIOT	Chariot for up to 4 x KS28	2 060
KS28-CHARIOTCOV	Protective cover for 3 or 4 x KS28 on KS28-CHARIOT	800
KS28-COV	Protective cover for 1 x KS28	570
KS28-PLA	Removable front dolly on wheels for 1 x KS28	385
RIGGING ACCESSORIES		€
CLAMP250	Clamp certified for 250 kg	290
LA-SLING2T	1m chain sling with two-leg bridles rated 2 tons	360
LOUDSPEAKER CABLES		€
SP-Y1	Y split speaker cable: 2 x 2.5mm <sup>2</sup> NL4 1m length (with CC4FP adaptor)	70
SP.7	Speaker cable: 4 x 4mm <sup>2</sup> NL4 0.7m length	40
SP5	Speaker cable: 4 x 4mm <sup>2</sup> NL4 5m length	80
SP10	Speaker cable: 4 x 4mm <sup>2</sup> NL4 10m length	145
SP25	Speaker cable: 4 x 4mm <sup>2</sup> NL4 25m length	260
DO.7	Speaker cable: 8 x 4mm <sup>2</sup> CA-COM 0.7m length	250
DO5	Speaker cable: 8 x 4mm <sup>2</sup> CA-COM 5m length	280
DO10	Speaker cable: 8 x 4mm <sup>2</sup> CA-COM 10m length	370
DO10P	Speaker cable extension CA-COM 10m length	350
DO25	Speaker cable: 8 x 4mm <sup>2</sup> CA-COM 25m length	560



# L-ACOUSTICS PRICE LIST - EUR/IN

DO3WFILL	Speaker cable breakout CA-COM > 2 NL-2 + 1 NL4 3m length	260
DOFILL-LA8	Speaker cable extension for active 2 way enclosures CA-COM > 2 NL-4 length 3.5m	260
DOSUB-LA8	Speaker cable breakout for passive enclosures CA-COM > 4 NL-2 length 5m	290

## MODULATION CABLES

DOM2	6 pair multiconductor cable AMP LINK 2m length	280
DOM30	6 pair multiconductor cable CROSS LINK 30m length	500
DOM45	6 pair multiconductor cable CROSS LINK 45m length	660
DOMP-2	Male/Male adapter LINK-EXTEND for AMP & CROSS LINK	185
DOMM	Multipair cable adapter LINK-BREAKOUT 6 LR3 male	260
DOMF	Multipair cable adapter LINK-BREAKOUT 6 LR3 female	260

## MISCELLANEOUS (net prices)

RALSETUP	RAL special order set-up cost applicable per colour	895
TECH TOOL CASE	System technician tool case fully loaded	3 805

### RAL Program

Please consult the L-Acoustics RAL program document for information on which parts RAL colours are applied onto products. The RALSETUP fee needs to be added to RAL items on a per colour basis. Cancellation/changes of order are subject to a reconditioning fee of 25% on the total of RAL items and the non refund of the set-up fee. Orders: Please consult us for delivery time of all RAL items.